#### **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



◆ FEB 9 1945

U S Department f Agriculture

COMPLETE LINE OF FLOWER, GARDEN AND FIELD SEEDS, INSECTICIDES, FERTILIZERS, PET AND ANIMAL FOODS AND REMEDIES

# QUINLANS SEED CATALOG

1945

Plant a Garden for Victory, Health and Economy

## QUINLAN'S SEED STORE

317 Wabash Avenue

TERRE HAUTE, INDIANA

TELEPHONE C-2075

#### PARCEL POST RATES

On Seeds, Plants, Bulbs, Roots, Books, Tools, etc., within the U. S. and Possessions.

	First Pound or Fraction	Each Additional Pound or Fraction
Local	7c.	1c (2 lbs.)
First and Second Zone within 150 miles of either		1.1c
Third Zone within 150 to 300 miles		2c
Fourth Zone within 300 to 600 miles		3.5c
Fifth Zone within 600 to 1000 miles		5.3c
Sixth Zone within 1000 to 1400 miles		7c
Seventh Zone within 1400 to 1800 miles.		9c
Eighth Zone all over 1800 miles		11c
Canada	14c.	14c

NOTE—A fraction of a cent in the total amount of postage on any parcel shall be counted as a full cent. Limit of weight for delivery to all zones 70 pounds; to Canada 15 lbs. If weight exceeds this, we will pack in 2 or 3 parcels (not more) provided money is remitted to cover postage. (Mark your Zone Number on order.)

All parcels under 8 ounces are carried everywhere regardless of zone rates at one and one-half cents for 2 ounces.

Low Prices.—A matter of primary importance in buying seeds is to obtain only the best. Our position enables us to supply you with such seeds, and at prices to compete with all reliable seedsmen.

Good Order.—If seeds are not received in good order within a reasonable time, write us and we will look up the shipment. Small orders are often delayed in transit.

Cash.—Money must always accompany the order. Money may be sent safely either by Postoffice Order, Express Order, or Bank Draft. We will be responsible for the safe receipt of remittances sent by either of the above methods. We accept postage stamps the same as cash.

#### WARRANTY AND QUALITY OF SEEDS

While we exercise the greatest care to have all our seeds Pure, Reliable, and True to Name, we do not give any warranty, express or implied, as to description, quality, and productiveness, or any other matter, of any seeds we send out, and we will not be in any way responsible for the crop. If the purchaser does not accept the seeds on these terms, they are at once to be returned and the money that has been paid for same will be refunded.

## SPRING CATALOG

1945

A COMPLETE LINE OF FLOWER, GARDEN AND FIELD SEEDS, INSECTICIDES, FERTILIZERS, PET AND ANIMAL FOODS AND REMEDIES

## QUINLAN SEED STORE

317 Wabash Ave.

Terre Haute, Indiana

**Telephone C-2075** 

#### SPECIAL USES OF FLOWERS

#### For Cut Flowers

	For Cu	t Flowers	
Antirrhinum Aster Calendula Calliopsis Candytuft Carnation Centaurea Chrysanthemum	Coreopsis Dianthus Didiscus Gaillardia Gomphrena Gypsophila Helichrysum	Larkspur Marigold Mignonette Nasturtium Pentstemon Petunia Phlox	Pyrethrum Roseum Salpiglossis Scabiosa Stocks Sweet Peas Verbena Zinnia
	Annuals that do well	in a slightly moist so	oil
Calendula Larkspur	Linum Marigold	Marvel of Peru Mignonette	Ricinus
	Annuals which	withstand drought	
Ageratum Alyssum Calliopsis Candytuft Centaurea Coreopsis	Cosmos Cynoglossum Dianthus Euphorbia Gaillardia	Hollyhock Marigold Marvel of Peru Petunia Portulaca	Scabiosa Statice Verbena Vinca Zinnia
	Plants for Han	ging Baskets, etc.	
Ageratum Coleus Geranium	Lantana Lobelia Nasturtium	Petunia Portulaca	Thunbergia Verbena
	Flowers for Winter B	ouquets (Dried Flower	rs)
Ceolsia Cristata Gomphrena	Gypsophila Helichrysum	Lunaria Physalis	Statice
	Dwarf Ed	lging Plants	
Ageratum Alyssum Bellis	Lobelia Marigold (French) Myosotis	Nasturtium (Dwarf) Pansy Portulaca	Verbena Compacta Viola
	Rapid Growin	g Annual Vines	
Balsam Apple and Cardinal Climber Cobea	PearCypress Vine Gourds Ipomea	Morning Glory Nasturtium (Tall Scarlet Runner	
	Annuals f	or Fragrance	
Alyssum Candytuft Carnation Centaurea	Heliotrope Mignonette Nasturtium (Gleam Nicotiana	Petunia Scabiosa ) Stocks	Sweet Peas Sweet William Wallflower
	Annuals f	for Poor Soil	
Alyssum Antirrhinum Celosia	Cosmos Euphorbia Kochia	Nasturtium Portulaca	Statice Verbena
	For Se	emi Shade	
Aquilegia Bellis perennis Campanula	Centaurea Coleus Lupin	Myosotis Pansy	Sweet William
	For Rock Ga	ardens, Annuals	
Alyssum Nasturtium Dwarf	Lobelia	Portulaca mondi Thunbergia	Verbena
	For Rock Ga	rdens, Perennials	Bridge Files
A 1	D.11!		

Alyssum saxatile Aquilegia Bellis perennis Dianthus

Linum Matricaria Myosotis Viola

.40

.40

4.00

4.00

55

51

#### ASPARAGUS.

FARM AND GARDEN SEEDS

An ounce of seed will sow 50 feet of drill, and produce about 300 plants. Fair crops may be expected the third year from seed.

Washington, Martha  The original rust resistant variety; heavy yielding, large dark green stalks; of fine quality.	Oz15	¼ lb.	Lb. 1.25
Washington, Mary  The highest type of the rust-resistant asparagus. It is earlier, larger and longer than the original Washington and quite as resistant.  Tips are very tight and do not "sprangle out" or "blow" prematurely.	.15	.35	1.25

#### BEANS.—Dwarf or Bush.

Postage on all Beans to be paid by purchaser. See Parcel Post Rates Front Page.

Beans should not be planted before the ground becomes light and warm, in favorable seasons usually about the first of May. The soil should be rich and mellow, and the seeds scattered about 3 inches apart in drills that are to 2 to  $2\frac{1}{2}$  feet apart, and covered about 2 inches deep. Successive sowings, made at intervals of about two weeks until the middle of July, will give a plentiful supply of beans throughout the season. One pound of seed will sow 100 feet of drill.

#### GREEN PODDED SORTS

	Lb.	¼ Bu.	Bu.	Days
Black Valentine (Improved Stringless), Oval Dark Green Pod	.40	\$4.00	\$15.00	49
Bountiful Bean, Early Stringless, Flat Light Green Pod	.40	4.00	15.00	49
Full Measure, Very Early Round Stringless	.40	4.00	15.00	53
Giant Stringless Green Pod, Round Medium Green Pod	.40	4.00	15.00	53
Hopkin's Imp. Round Pod, Ex. Early Valentine, Red	.40	4.00	15.00	52
Horticultural Dwarf, Shell Bean	.40	4.00	15.00	54
Large Red Kidney, Shell Bean	.30	3.50	12.00	95
Plentiful	.40	4.00	15.00	51
Improved Bountiful type, stringless, long straight medium deep green pods. Shows a definite resistance to rust disease. Very productive.				
Refugee (1000 to 1), Round Stringless Green Pod	.40	4.00	15.00	70
Streamliner, Oval Dark Green Pod	.40	4.00	15.00	55
Stringless Green Pod, Round Dark Green Pod	.40	4.00	15.00	50
Tendergreen (New Stringless), Round Dark Green Pod	.40	4.00	15.00	51
Tennessee Green Pod, Flat Medium Green Pod	.40	4.00	15.00	50
White Kidney, Shell Bean	.30	3.50	12.00	95
White Marrow, Shell Bean	.30	3.50	12.00	100
White Navy, Shell Bean	.25	3.00	10.00	90
WAX PODDED BEANS.	*			
		Lb.	¼ Bu.	Days

#### POLE BEANS.

German Black Wax, Yellow Pod

Improved Golden Wax, Yellow Pod

Less hardy than the Bush Beans, and should be planted several weeks later, when the ground is warmer. Plant the seeds in slightly raised hills 3 or 4 feet apart, 4 or 5 seeds to the hill. The Limas are especially tender, and the rule for late outside planting with them is rigid. Painstaking cultivators, who are usually the most successful, plant them eye downward, after setting stout poles for every hill. All sorts of late-ripening Pole Beans are benefitted by pinching the tips of the vines back when they are about 5 feet high. A pound will plant about 100 hills.

	Lb.	1/4 Bu.	Days
Early Golden Cluster Wax, Yellow Pod	.40	4.00	74

#### POLE BEANS—Continued

Horticultural or Cranberry, Shell Bean Kentucky Wonder, or Old Homestead		Lb.	¼ Bu.	Days
Kentucky Wonder, or Old Homestead				2000
Kentucky Wonder, or Old Homestead		.40	4.00	70
		.40	4.00	65
Kentucky Wonder Wax, Yellow Pod		.40	4.00	68
Lazy Wife, Thick Green Pod		.40	4.00	74
Missouri Wonder, Round Medium Green Pod		.40	4.00	66
Speckled Cut Short Corn Bean		.40	4.00	72
	11 3 11	.40	4.00	64
White Kentucky Wonder, Green Pod		.40	4.00	04
POLE LIMA BEANS.				
		Lb.	¼ Bu.	Days
Extra Large Lima, Large Flat Bean		.40	4.00	88
King of the Garden, Large Flat Bean		.40	4.00	88
BUSH OR DWARF LIMA BEANS	•			
	b. 1	1/4 Bu.	Bu.	Days
Baby Potato, Small Thick Bean	0 4	4.00	15.00	72
Burpee's Imp. Bush Lima, Large Plump Bean	0 4	4.00	15.00	75
Fordhook, Thick Oval Bean .4	0 4	4.00	15.00	75
Henderson's Bush Lima, Small Oval Bean .4	.0	4.00	15.00	65
Speckled, Small Flat Bean		4.00	15.00	73
the court in the contract of t		1 2 1		
BEETS.				
The soil best suited to the Beet is a deep, light and rich loam. For ve sown in hotbeds, and the seedlings are transplanted to the open ground. I sown outside as soon as the soil is in good condition, in drills from 12 to 18 about an inch deep; the plants are thinned to stand 4 or 5 inches apart in sow seeds in June, in drills, as for early Beets. An ounce of seed will sow 1 pounds will sow an acre.	For ma 5 inche the rov	in crop s apart vs. For	, the se , and co winter	eed is overed crops,
\$1 -00.01 00 h 1115	Oz.	1/4 lb.	Lb.	Days
Asgrow Wonder, (New Dark Red) round deep red root3	5	1.00	2.50	57
Early Blood Turnip, bright red turnip root	35	1.00	2.50	68
Early Wonder, semi-globular dark purplish red root	35	1.00	2.50	58
Detroit Dark Red Turnip Beet	35	1.00	2.50	68
	35	1.00	2.50	110
		1.00	2.50	60
		1.00	2.50	102
		1.00	2.50	102
BROCCOLI.				
Italian Cusan Canantin			Oz.	4 Oz.
Italian Green Sprouting  A distinct variety, extensively cultivated by Italian gardeners. Plant large, solid head which remains green. When the central head is cut, n sprouts develop from the leaf axes, each sprout terminating in sma heads, which are bunched for market.	forms	a IS	.50	1.50

#### BRUSSELS SPROUTS.

	Oz.	4 Oz.
Dwarf Improved	.50	1.50

#### CABBAGE.

Seed sown in hotbed or greenhouse about February 15 will give plants large enough to transplant into hotbeds about March 10. Set them 2 or 3 inches apart each way, and as soon as they become well established remove the glass for part of the day, to harden them for final transplanting into the open ground, increasing the exposure daily until April 10 or 20, when the final transplanting may be made. Plants for this early crop need not stand further apart than 1½x2 feet. For late crops, sow seeds in April or May, and transplant to the open ground when large enough, setting the plants up to the first leaf, and 2x3 feet apart. It is important that the plants should not stand thick in the seedbeds, as this would induce weak, slender plants.

One oz. to 1500 plants; 2 oz. to the acre.

One oz. to 1500 plants, 2 oz. to the acre.	Oz.	Days				
All Head Early, early flat head	.50	78				
All Seasons, medium early round head. Yellow-resistant.						
Charleston Wakefield, early peaked head	.50	74				
Copenhagen Market, early round head. Yellow-resistant	.50	69				
Danish Ballhead, late round head	.50	103				
Early Dwarf Flat Dutch	.50	90				
Early Jersey Wakefield, early peaked head	.50	63				
Glory of Enkhulzen, early round head	.50	77				
Golden Acre, extra early round head	.50	64				
Improved American Savoy, early peaked head. Curly leaf	.50	76				
Jersey Queen, early peaked head. Yellow-resistant	.50	66				
Mammoth Rock Red, round head	.50	100				
Marion Market, medium early round head. Yellow-resistant	.50	79				
Selected Flat Dutch, late	.50	100				
Surehead, late flat head	.50	77				
Wisconsin Hollander, early round head. Yellow-resistant		105				

#### CARROT.

Carrots succeed best on heavy loam, which preferably should have been well fertilized the previous year, as fresh manure often causes the roots to grow pronged and misshapen. Sow the seed as early in the spring as the ground can be prepared, firming the soil down over them.

One ounce of seed will sow 200 feet of drill: 2 pounds will sow an acre.

Chantenay Half Long (The Model)  Excellent medium early half-long stump rooted variety; roots about 6 inches long, very thick, smooth and of a deep orange-red color.	Oz. .35	<sup>1</sup> / <sub>4</sub> lb. 1.25	Lb. 1	
Danver's Half Long Good for all purposes.	.35	1.25	3.50	72
Long Orange	.35	1.25	3.50	88
Nantes Improved Coreless Reddish orange, blunt end root.	.35	1.25	3.50	70
Oxhart	.35	1.25	3.50	72

#### CAULIFLOWER.

Culture for Cauliflower and cabbages is essentially the same, but to the former extra care given in applying fertilizers and moisture well repays the gardener. Sow the seeds for early and late crops as directed for cabbage, but do not set the early plants in the open field too soon, for if too much stunted by severe frosts they begin to form heads before they are strong enough to develop them well. Plants which have not headed before winter sets in may be stored in a cool cellar or coldframe, and will form heads there without any further attention.

One o	oz. to 1500	plants;	2 Oz. to the acre.	Pkt.	1/4 Oz.	½ Oz.
Early S	nowball,	Dwarf		.10	.75	1.50

#### CELERIAC.

Sow in early spring;	transplant the	seedlings	in May.	They	will be	ready	for	cooking	in	October
and may be preserved in	dry sand for us	e during w	rinter.							0.7

							UZ.
Turnip R	Rooted Celery	, used for	celery	flavor	in	soups	.50

#### CELERY.

Celery can be grown on any garden soil, but is finest on deep, mellow bottom land. Seed for early crops should be sown in hotbeds about March 15. The plants may either be thinned to give them room to grow, or transplanted to another bed to grow until it is time to plant them in the open ground. For main crop, seed should be sown in the open air as soon as the soil and air are warm enough. They should be covered lightly, or merely pressed into the earth with a board if the soil is fine and mellow. The seedbed must be kept free from weeds and well watered in dry weather. When the plants are large enough, transplant them to shallow trenches or furrows from 4 to 6 feet apart, according to the variety grown, setting the plants 6 inches apart in the rows and pressing the soil firmly around them. One oz. to 10,000 plants.

	Oz.
Celery Cabbage or Chinese Lettuce.	50
Wong Bok, short variety	50
Giant Pascal, green garden variety	
Golden Self Blanching, gold garden variety	
White Plume, white garden variety	
COLLARDS.	
the Control of the second	Oz.
True Georgia	25
Used as Greens. A non-heading type of cabbage.	T

#### SWEET CORN.

#### Postage to be Paid by Purchaser. See Parcel Post Rates on Front Page.

The Sweet or Sugar varieties being liable to rot in the cold or wet ground, should not be planted before May, or until the ground has become warm, and for a succession continue planting every two weeks, until the middle of July, in rich, well-manured ground in hills three feet apart each way, covering about half an inch and then thin out three plants to a hill, or plant in rows four feet apart and to stand eight inches apart in the rows. One-quarter pound to 100 feet; 1 gallon to the acre.

	Lb.	1/4 Bu.	Bu.	Days
Adam's Early, ears 12-14 rowed, white	.30	2.50	8.00	72
Adam's Extra Early, ears 12 rowed, white	.30	2.50	8.00	66
Adam's Imp., ears 12-14 rowed, white	.30	2.50	8.00	74
Black Mexican, ears 8 rowed, white, black at maturity	.40	4.00	12.00	88
Country Gentleman, rows irregular, white	.40	4.00	12.00	95
Early Evergreen, ears 16-18 rowed, white	.40	4.00	12.00	90
Early Mammoth, ears 12-16 rowed, white	.40	4.00	12.00	74
Golden Bantam, ears 8 rowed, yellow	.40	4.00	12.00	85
Golden Country Gentleman, rows irregular, yellow	.40	4.00	12.00	95
Golden Cross Bantam, ears 10-14 rowed, yellow	.60			85
Golden Evergreen, ears 10-16 rowed, yellow	.40	4.00	12.00	95
Golden Sunshine, ears 10-12 rowed, yellow	.40	4.00	12.00	72
Howling Mob, ears 12-16 rowed, white	.40	4.00	12.00	83
Kendall's E. Giant, ears 12-14 rowed, white	.40	4.00	12.00	85
Late Mammoth, ears 10-18 rowed, white	.40	4.00	12.00	98
Shoe Peg, rows irregular, white	.40	4.00	12.00	95
Stowell's Evergreen, ears 16-20 rowed, white	.40	4.00	12.00	95
Stowell's Evergreen Hybrid, ears 16-18 rowed, white	.60			93
Whipples Early Yellow, ears 12-14 rowed	.40	4.00	12.00	87
Whipple's Early White, ears 14-18 rowed	.40	4.00	12.00	85

#### CORN SALAD.

Sow the seed thickly in shallow drills in September, and firm the soil well down above it, if the weather be dry. Highly appreciated, and much grown where other salads and lettuces do not succeed. An ounce of seed will sow a bed 20 feet square.

	Oz.	½ Lb.
Large Leaf		1.50
Fine for salad.	••••	1.00

#### CRESS.

	Uz.
Curled or Pepper Grass	.35
Used for salad; very pungent.	
True Water Cress	.50
Delicious flavor: very wholesome	

#### CUCUMBERS.

The seed can not be planted in the open ground before the weather has become warm and settled, and the ground mellow and light. Plant the seeds in well-enriched hills about 4 feet apart each way, and as soon as all danger from insects is over thin the plants to leave four of the strongest in each hill. One oz. to 50 hills; 1 pound to the acre.

	Oz.	1/4 lb.	Lb.	Days
Chicago Pickling, medium green, warted, small	.25	.75	2.50	59
Early Cluster, medium green, small	.25	.75	2.50	55
Improved Long Green, deep green, warted	.25	.75	2.50	67
Lemon, round, lemon color	.25	.75	2.50	65
Longfellow, dark green, long	.25	.75	2.50	70
Straight Eight, medium green, long	.25	.75	2.50	- 66
The Davis Perfect, dark green, long	.25	.75	2.50	65
West India Gherkin, Pickling, oval, pale green, prickled	.25	.75	2.50	60
White Spine, medium green, white ribbed, large	.25	.75	2.50	65
White Wonder, white, large, clustered	.25	.75	2.50	60

#### EGG PLANT.

Sow the seed in hotbeds early in March, transplant to small pots and plunge them in the same beds; this is to make them strong and stocky. They should not be planted out until May or June, when the weather becomes warm and settled, as cool nights and wet weather will check their growth. Set the plants in rows 3 feet apart each way and give them thorough cultivation, drawing the earth up to the stems when they are about a foot high. Repeated sowings are sometimes necessary, as the seed does not germinate freely without strong and uniform heat. One oz. to 2,000 plants.

	Oz.	Days
Black Beauty	.50	80
New York Improved Spineless	.50	83

#### ENDIVE.

This is an important fall and winter salad. For early, the seed should be shown in April, in drills 15 inches apart, and the seedlings thinned to stand 12 inches apart in the rows. Sowings for the main crop may be made in June and July, as the vegetable is used principally in fall and winter. The inner leaves are blanched by tying the tips of the outer ones together, or by laying boards over the plants.

One-fourth oz. to 100 feet of drill.

	Oz.	½ lb.	Days
Broad Leaf Batavian	.25	.75	92
Thick, slightly wrinkled; forming a loose head.			
Green Curled	.25	.75	95
White Curled	.25	.75	100

#### KALE.

One oz. to 2,000 plants; 1 pound to the acre.		4 / 33	<b>T</b> 1	D
	Oz.	¼ lb.	Lb.	Days
Dwarf German Green, deep green, broad leaves	.25	.60	1.75	55
Improved Siberian, deep green, large frilled leaves	.25	.60	1.75	65
Tall Curled Scotch, light green, deep leaves	.25	.60	1.75	60

#### KOHL RABI.

Very palatable when prepared for the table like turnips. If the weather is favorable the seed should be sown in April, in rows 18 inches apart, and the seedlings thinned to stand a foot apart. One-half oz. to 100 feet of drill.

	Oz.	Days
Early Purple Vienna	.50	62
Early White Vienna	.50	55

#### LEEK.

Used for seasoning soups and boiling with meats. The seed should be sown in hotbeds in early spring, and the seedlings transplanted later to the open ground, 8 inches apart, in rows from 12 to 15 inches apart. One-half oz. to 100 feet of drill.

#### LETTUCE.

Seed for the first outdoor crop is usually sown in hotbeds in February, and the seedlings transplanted to the garden in April, 8 to 12 inches apart, in rows 12 inches apart. For a succession until frost, sow in drills in the open ground at intervals of every two or three weeks, and thin the plants to stand 6 to 8 inches apart. For plants to force in hotbeds from November until spring, sow seed in hotbeds in the fall, and cover up as winter approaches, until the plants are required for use. Or the seed may be sown in hotbeds early in winter and the seedlings transplanted when large enough into fine and well-prepared garden soil. One-fourth oz. to 100 feet of drill; 2 pounds to the acre.

	Oz.	¼ lb.	Lb.	Days
Big Boston, medium head, green tinted with red.	.25	.75	3.00	75
Black Seeded Simpson, large frilled leaf, yellow-green	.25	.75	2.00	46
Early Curled Simpson, large leaf, yellowish-green	.25	.75	2.00	45
Grand Rapids, large curley leaf, light green	.25	.75	2.00	43
Hanson, large head, yellowish-green Stands drought and hot sun well.	.25	.75	3.00	80
Iceberg, large head, light green  The hardest heading variety of all.	.25	.75	3.00	84
Paris White Cos, Trianon or Romain, dark green for poultry.	.25	.75	2.00	66
Prize Head, light green leaf, red edge.  Leaves frilled and blistered; very crisp.	.25	.75	2.00	47
N. Y. or Wonderful  A large late sort, cabbage heading variety, with large crumpled, dark green leaves. Similar to N. Y. cabbage.	.25	.75	3.00	80

#### MUSHROOM SPAWN.

American Pure Culture Spawn 1 lb. Brick .50

#### MUSKMELON.

Muskmelon seed should not be planted outdoors until the ground has become warm and dry. The hills should be about 6 feet apart, and carefully prepared. Rich earth is far better for the young plants than manure; but if the latter must be used see that it is well rotted. Plant from six to twelve seeds in a hill, and when the young seedlings are strong enough to resist the attacks of insects, thin them, leaving three of the strongest in each hill. One oz. to 50 hills: 1 to 2 pounds per acre.

	Oz.	¼ lb.	Lb.	Days
Banana, salmon flesh, banana shape	.15	.50	1.25	98
Burrell's Gem, pink-salmon flesh	.15	.50	1.25	<b>6 90</b>
Hale's Best No. 45, deep salmon flesh	.15	.50	1.25	82
Honey Dew, emerald green flesh	.15	.50	1.25	112
Honey Rock, orange-salmon flesh	.15	.50	1.25	81
Hoodo or Hearts of Gold, yellow flesh	.15	.50	1.25	90
Osage, orange-salmon flesh	.15	.50	1.25	95
Pollock, pink flesh	.15	.50	1.25	94
Rocky Ford, Colorado grown Netted Gem, green flesh	.15	.50	1.25	92
Sugar Rock, orange-salmon flesh	.15	.50	1.25	90
Tip Top, yellow flesh	.15	.50	1.25	90

#### MUSTARD.

The young and tender leaves of the mustard are greatly relished as salads or when cooked like spinach. The seed should be sown in shallow drills as early as the ground can be prepared in spring. One oz. to 50 feet of drill.

	Oz.	¼ lb.	Lb.	Days
Fordhook, bright green fringed leaf	.10	.35	1.25	60
Mustard Spinach	.10	.35	1.25	45
A Japanese plant of the Mustard family which has become popular with the gardeners for its extremely quick habit of growth, producing a marketable crop of excellent mild mustard greens in about four weeks from seed.	•=•	•	2,20	
Ostrich Plume, light green fringed leaf	.10	.35	1.25	60
Southern Giant Curled, light green heavy leaf	.10	.35	1.25	40
White, for seasoning	.10	.35	1.25	

#### OKRA.

The tender young pods are used for seasoning soups and stews. Sow the seeds thickly in rich soil about the middle of May, in drills 3 feet apart, and cover the seeds an inch deep. Two oz. to 100 feet of drill.

	Oz.	¼ lb.	Days
Dwarf Green, deep green pods	.10	.25	50
Perkin's Mammoth Green, deep green pods, tall	.10	.25	56
White Velvet, white pods, early	.10	.25	60

#### ONION.

Onions thrive best on a rich, deep, loamy soil. For sets, the seeds should be sown very thickly in drills as early as possible in spring. In summer, as soon as the tops die down, harvest the bulbs and store them in a dry, cool place, spreading them in thin layers. Early in the following spring replant them 4 inches apart, in small drills 12 inches apart, and they will form into fine, large bulbs early in the season. Large Onions may also be grown from seed the first season if the land is strong and well manured, the seed sown thinly in drills a foot apart, and the seedlings thinned to stand 3 or 4 inches apart in drills; they must be well cultivated and kept free from weeds. Five pounds per acre will be required for large onions; for sets, 25 to 30 pounds.

One-half oz. to 100 feet of drill.

One har our to too or ar-no	Oz.	¼ lb.	Lb.	Days
Extra Large Red Wethersfield, medium large, flat	.50	1.75	6.00	100
Mammoth Prizetaker, Yellow, large globe	.50	1.75	6.00	105
Southport Large White Globe	.50	1.75	6.00	110
Southport Large Red Globe	.50	1.75	6.00	110
Sweet Spanish, White, large round	.50	1.75	6.00	110
White Silverskin or Portugal, medium, thick-flat	.50	1.75	6.00	100
Yellow Bermuda, medium, flat	.50	1.75	6.00	93
Yellow Globe Danvers	.50	1.75	6.00	100

#### PARSLEY.

Much used for garnishing and flavoring soups, stews, etc. The seed in slow to germinate, and should be sown as early as possible, in drills 12 inches apart, thinning plants in rows 4 to 6 inches apart. One-half oz. to 100 feet of drill.

	Oz.	Days
Green Curled	.25	85
Moss Curled. Finely cut and curled for garnishing		70
Plain, for flavoring	.25	72

#### PARSNIP.

Sow the seed in drills 15 inches apart as early as possible in spring, and thin the plants until they are 5 or 6 inches apart in the rows. The roots are much improved by frost; to be dug up as required. On the approach of cold weather, cover them heavily with manure or litter. Deep, rich, heavy soil is best suited to the culture of Parsnips, and the roots will be smooth and large if no fresh manure is used, as this tends to make them coarse-grained and misshapen. One-half oz. to 50 feet of drill; 8 pounds to the acre.

	Oz.	¼ lb.	Lb.	Days
Large Hollow Crown Sugar	 .25	.75	2.50	95

#### PEAS.

#### Postage to be Paid by Purchaser. See Parcel Post Rates on Front Page.

Peas succeed in light, dry, loamy soil. Early and dwarf sorts require richer soil than the late varieties. If manure is used let it be old and well rotted, or there will be a rank growth of vines with few pods. Sow the early, smooth, round sorts as early in spring as the ground can be worked. Seeds of wrinkled varieties are more liable to rot if the ground is cold and must be planted later. Sow all the varieties quite early and depend for succession upon the different times of ripening of the various sorts, or from the first sowing sow every two weeks until June for a succession. One-half pound to 100 feet; 2 bushels to the agree.

to the acre.	Lb.	¼ Bu.	Bu.	Days
Alaska	.40	4.00	15.00	57
The very earliest and best blue pea. Height, 2 it.				
American Wonder	.40	4.00	15.00	61
Well known and very popular. Height, 1 ft.				
Black Eyed	.15			
Black Lyeu				

#### PEAS.—Continued

	Lb.	1/4 Bu.	Bu.	Days
Champion of England, Pole	.40	4.00	15.00	80
Well known standard variety. Height, 5 ft.	.40	4.00	15.00	62
Chicago Market Wrinkled variety; height 2½ ft.; about one week later than Gradus.	.40	4.00	10.00	02
First and Best	.40	4.00	15.00	58
Very Early. Height, 2½ ft.	. 40	4.00	15.00	65
One of the earliest of wrinkled varieties: large pods. Height, 2½ ft.	.40	4.00	15.00	60
Laxtonian	.40	4.00	15.00	63
Large, full pods; fine quality. Height, 1½ ft.	40	4.00	15.00	co
Laxton Progress  Few days earlier than Laxtonian. Vines 18 inches tall, pods	.40	4.00	15.00	62
4 inches long. A valuable new variety.	4 6	4.00	4 2 0 0	0.4
Vine strong and vigorous, about 18 inches tall. Showy pods about	.40	4.00	15.00	64
3 to 3½ inches long, blunt ended. Seed large, green, wrinkled.  A very fine productive, dwarf, sturdy variety.				
Luscious Sugar, Edible pods. Height, 4 ft.	.40	4.00	15.00	74
McLean's Little Gem		4.00	15.00	64
Very prolific; a garden favorite. Height, 1 ft.				
Nott's Excelsior  An improvement on American Wonder. Height, 1 ft.	.40.	4.00	15.00	62
Telephone, Pole	.40	4.00	15.00	80
Enormous pods; fine quality. Height, 4½ ft.				
Thomas Laxton Similar to Gradus only a few days later.	.40	4.00	15.00	62
World's Record?	.40	4.00	15.00	57
An improved type of Gradus, being slightly earlier, more dwarf, true to type and productive. Height 2½ feet. Vines moderately				
stout, medium green, pods medium green, 4 in. long, very broad,				
pointed and well filled with 7 to 8 very large, dark green peas of exceptional quality.				

#### PEANUT.

Make rows two or more feet apart, and drop seed eight inches apart. Matures very early may be planted after oats in July.	and
	Lb.
Virginia	.50

#### PEPPER.

Sow in hotbed as early as April, and transplant to rich, warm, mellow soil, a has become warm and settled, setting them about 2 feet apart in drills 3 feet applants.	as soon as part. One	the we	eather 1,500
panos.	Oz.	¼ lb.	Days
Bull Nose or Bell, 4 lobed mild	.50	1.50	64
California Wonder, Crimson Fruit, 4 lobed, mild and sweet	.50	1.50	75
Cayenne	.50	1.50	70
Fruit long, hot and pungent.			
Long Hungarian (Yellow or Banana), early, hot	.50	1.50	65
Pimento, heart shaped, mild and sweet	.50	1.50	73
Red Chili	.50	1.50	82
Red Chili Small and prolific. Used for pepper sauce. Hot.			
Ruby Giant, and Chinese Giant, 4 lobed, mild and sweet  Largest of all. Red.	.50	1.50	75
Ruby King, 3 lobed	.50	1.50	68
Sunnybrook  A tomato-shaped sweet, red pepper of much merit. Fruit smooth, upright, 3 in. in diameter by 2½ in. in depth with thick flesh; moderately early.	.50	1.50	73
Sweet Golden Queen, 3 lobed, mild and sweet	.50	1.50	78
Sweet Mountain  Large; square shaped and mild.	.50	1.50	73
Worldbeater, 4 lobed, mild and sweet	.50	1.50	75

#### POP CORN.

	Lb.	Days
Golden Queen, large eared, 12-16 rowed	.25	90
Japanese Hulless, short eared, 18 rowed, white	.25	85
South American, large eared, 12-14 rowed, yellow	.25	90
White Rice, medium eared, 10-16 rowed	.25	90

#### PUMPKIN.

Grown principally for stock-feeding, yet some are so sweet, juicy and fine-grained that they will always be considered indispensable for pies and sauces. The vines require the same culture as that recommended for melons, but the seeds must be planted in hills much wider apart; frequently they are planted among corn. A pound of seed will plant from 200 to 300 hills. One to two pounds to the acre.

	Oz.	1/4 lb.	Lb.	Days
Cushaw, Golden	.10	.25	.75	112
Similar to White Cushaw, except in color of shell, which is golden yellow.				
Cushaw, Striped	.10	.25	.75	112
Of the crookneck type with mottled green and white stripes: flesh yellow, very solid and fine grained.				
Cushaw, White	.10	.25	.75	110
Long, white, crookneck; fine for table or stock.				
Japanese Pie, crookneck, flesh deep yellow	.10	.25	.75	110
Small Sugar, round fruit, bright orange color	.10	.25	.75	108
Sweet Cheese or Kentucky Field, round fruit, deep yellow color	.10	.25	.50	120

#### RADISH.

Sow in sheltered spot, the earth being deeply dug, highly fertilized, and raked free from clods and stones. Radishes grown on poor, thin soil cannot be made good; they will be misshapen and tough. To be good they must be grown quickly. Radishes can be forced by covering with a window or a sash. One oz. to 100 feet of drill; 10 to 15 pounds per acre.

One oz. to 100 teet of drill; 10 to 15 bounds per acre.			
	Oz.	¼ lb.	Lb. Days
Celestial, or White Chinese	.10	.30	.75 60
Best for fall; very large white radish. Round root.	· · ·	•00	••••
China Rose Winter, long root, white flesh	.10	.30	.75 52
Cincinnati Market, long root, red skin, white flesh	.10	.25	.75 28
Crimson Giant	.10	.25	.75 28
Extremely large but never pithy; suitable for forcing or open cultivation; tender and crisp. Round root.			
Early Scarlet Turnip Forcing White Tip	.10	.25	.75 26
French Breakfast, oblong root, scarlet with white tip	.10	.25	.75 25
Icicle	.10	.25	.75 27
Long, smooth, white forcing radish.			
Long Black Spanish Winter, white flesh	.10	.30	.75 58
Round Black Spanish Winter, white flesh	.10	.30	.75 56
Scarlet Globe	.10	.25	.75 24
Fine for forcing and open ground; very early. Round root.			
White Strasburg, long white root	.10	.25	.75 39

#### RHUBARB.

Sow the seed early, and when the plants are large enough thin them to 4 or 5 inches apart. The next spring or fall transplant them 3 feet apart each way in deep, rich soil. For forcing, take up some large roots and place them in a dark corner of the cellar or greenhouse. Two oz. to 100 feet of drill.

#### SALSIFY, OR OYSTER PLANT.

When cooked, the roots have something of the flavor and odor of oysters. They may be boiled, used in soups, or grated and fried as fritters. Culture the same as for parsnips and carrots. Roots are perfectly hardy, and may be left in the ground all winter. A quantity of roots for winter use may be stored in a pit or in sand or damp earth in a cellar. One oz. to 100 feet of drill.

		UZ.	⅓ ID.
Mammoth Sandwich	Island	 .50	1.25

#### SPINACH.

One of the most important crops grown for greens, and may be had in good condition from very early in the spring until cold weather. For early use sow very early in spring, and for succession at intervals. The main crop for spring and winter use should be sown in September and the plants covered for winter.

One-half oz. to 100 feet of drill: 6 to 8 pounds to the acre.

	Oz.	1/4 lb.	Lb.	Days
Bloomsdale Savoy, large crumpled dark green leaves	.10	.35	1.00	42
Long Standing, large crumpled dark green leaves	.10	.35	1.00	42
New Zealand, small thick dark green leaves	.25	.75	2.00	70

#### SQUASH.

Seeds should not be planted in spring until all danger of frost is past. Plant in hills 5 feet apart for bush varieties and 6 to 8 feet apart for running sorts, putting 6 to 8 seeds to the hill, finally leaving but 3 plants.

One-half pound to 200 or 300 hills: 2 to 3 pounds per acre.

	/4 200	Days
.15	.35	100
.15	.35	105
.15	.35	100
.15	.35	100
.15	.35	58
.15	.35	56
.15	.35	100
.15	.35	63
.15	.35	97
.15	.35	50
.15	.35	52
.15	.35	100
.15	.35	110
.15	.35	62
	.15 .15 .15 .15 .15 .15 .15 .15 .15 .15	.15       .35         .15       .35         .15       .35         .15       .35         .15       .35         .15       .35         .15       .35         .15       .35         .15       .35         .15       .35         .15       .35         .15       .35         .15       .35         .15       .35         .15       .35         .15       .35         .15       .35         .15       .35

#### SWISS CHARD, SILVER OR SEA KALE.

	Oz.	⅓ lb.	Lb.	Days
Grown exclusively for its leaves, which can be used and				
served like Spinach. Cultivation same as Beets	.25	.75	2.00	50

#### **TOBACCO**

Sow the seed in plant bed in March. Transplant when five or six leaves appear. Set in rows 3½ feet apart, 18 to 20 inches apart in the row, according to variety. When the bud appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growing from the stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the stock in a shed to dry.

Connecticut Seed Leaf	.50
White Burley	.50
Havana	.50

#### TOMATO.

As the plants advance in growth support them by brushwood. To have the Tomato very early it is necessary to start the plants in a hotbed, or they may be reared in a flower pot in a window and subsequently transplanted. Plants for an early crop should be raised under glass. For intermediate crop they may be raised on outside beds. For late crops the seed may be planted in permanent position. One oz. to 2,500 plants; 2 ozs. to the acre.

Bonny Best, A good forcing variety	Oz. .50	½ lb. 1.50	
Break O'Day, orange-red round fruit	.50	1.50	70
Crimson Cushion (Beefsteak or Enormous)	.50	1.50	90

#### TOMATO—Continued

10MA10—Continueu	Oz.	1/4 lb.	Days
Dwarf Champion	.50	1.50	86
Very early; dark purplish red.	•00	1.00	
Early Detroit	.50	1.50	80
Purplish pink; smooth; semi-globular.			
Golden Ponderosa	.50	1.50	89
Largest of the yellow tomatoes and similar to Ponderosa except in color of fruit.			
Golden Queen	.50	1.50	84
Yellow; ripens early; is large size, smooth and solid.			
Greater Baltimore, Indiana Strain	.50	1.50	79
Large as Stone; deep red, very solid and productive.			
John Baer	.50	1.50	70
A very early, large red variety of fine quality.	20	4 50	00
June Pink, earliest pink	.50	1.50	69
Marglobe Certified, deep red, round, smooth	.50	1.50	77
Oxheart, heart-shape, rough, pink	.50	1.50	90
Ponderosa	.50	1.50	88
The largest tomato grown; rich crimson; solid flesh.			
Pritchard or Red Topper, round, light scarlet	.50	1.50	76
Prolific	1.00	3.00	86
Early red variety of fine quality.			
Red Pear	.50	1.50	<b>73</b>
Rutger, bright red, round, smooth	.50	1.50	86
Spark's Earliana	.50	1.50	66
Very early; bright red, smooth and of good size and excellent flavor.			
The Stone	.50	1.50	92
Very large and smooth; ripens evenly bright scarlet.			
Yellow Pear	.50	1.50	73

#### TURNIP.

For early, sow as soon as the ground can be prepared, in drills 15 inches apart, and thin the plants to stand 8 inches apart. Sow for succession at intervals of two weeks until the last week in July, and from that time onward until the last of August sow for main crop. The sowings should always be made just before a rain, if possible, as the success of the crop depends, in a great measure, upon quick germination and rapid growth of the young plants. One oz. to 300 feet of drill; 1 pound to the acre.

	Uz.	¼ 1b.	Lb.	Days
American Purple Top Ruta Baga, round		.35	1.00	90
Extra Early White Milan, flat		.35	1.00	42
Early Purple Top Milan, flat	.10	.35	1.00	42
Red, or Purple Top Strap Leaf, flat	.10	.35	1.00	46
Red Top White Globe, round	.10	.35	1.00	57
Seven Top, grown for greens	.10	.35	1.00	

#### WATERMELON.

Secure good strong vines early in the season by making the hills large, mellow and well drained, with the manure placed so that they will not dry out quickly under hot suns. All possible protection from insects should be given the young plants, and as protection from insects, use dry ashes or coal dust sprinkled over the leaves. Plant the seeds thickly, and thin the plants to four of the strongest in each hill.

One oz. to 50 feet of drill; 1 to 2 pounds to the acre.

One oz. to by feet of drift, I to 2 pounds to the acre.				
	Oz.	½ lb.	Lb.	Days
Cuban Queen, round striped	.10	.25	.75	90
DIAIC DOIL OF SCOTT	.10	.25	.75	90
Dixie Queen, round striped melon. Seeds very small and white	.10	.25	.75	85
Seeds buff color.	.10	.25	.75	80
Halbert's Honey, long green		.25	.75	82
Hawkesbury, Wilt Resistant, long striped				85
Irish Grey, long grey		.25	.75	95
Kleckley Sweet, Wilt Resistant, long green		.25	.75	85
Klondike, Wilt Resistant Strain, long green	.10	.25	.75	80
Monte Cristo, long green	.10	.25	.75	85
Rattlesnake, long striped	.10	.25	.75	90

#### HERBS.

Caraway—Seeds used for flavoring
Celery Seasoning—Used for seasoning
Chervil—Used for flavoring Soups
Chicory—Large rooted—The dried leaves are roasted and mixed with Coffee or
used as a substitute
Coriander—Seeds used for flavoring
Dill—Used for flavoring Pickles
Lavender—Leaves very fragrant
Rosemary—Leaves very fragrant
Sage—A highly aromatic Herb, most useful of all
Savory, Summer—Used as a seasoning
Savory, Winter—Used as a seasoning
Sorrel—Large leaved, French—Used as a Salad or cooked as Greens.
Sweet Basil—Leaves used for flavoring
Sweet Marjoram—Used as a seasoning
Thyme—Used as a seasoning
Bermuda Onion Plants Onion Sets Rhubarb Roots Asparagus Roots  Prices on application.

#### PLANTS.

In Season


#### **VEGETABLES**

Tomato Pepper
Cabbage Sweet Potato
Cauliflower Egg Plant


#### **FLOWER**

Aster Pansy
Salvia Gaillardia
Snapdragon Stock
Zinnia Shasta Daisy
Petunia Canterberry Bells
Verbena Hardy Phlox

#### ASK FOR PRICES








ZINNIA

#### FLOWER SEED AND SUPPLIES

Ageratum, Blue, Dwarf	
Ageratum, White, Dwarf	
Ageratum, Midget Blue	
Alyssum, White	
Alyssum, Yellow	
Alyssum, Dwarf, Violet Queen	
Antirrhynum	
Varieties, Red .20 pkg. Pink .20 pkg. Yellow .20 pkg. Purple	e .20 pkg.
Bronze .20 pkg.	
Antirrhynum, Mixed	
Aster, Crego, Crimson	
Aster, Crego, Peach Blossom	
Aster, Crego, Purple	
Aster, Crego, Deep Rose	
Aster, Crego, White	
Aster, Crego, Mixed	
Aster, Wilt Resistant, Mixed	
Balsam (Lady Slipper)	
Balsam, Bush, Mixed	
Calliopsis, Yellow	
Candytuft, Mixed and White	
Canterbury Bells, Blue, Double Medium	
Canterbury Bells, Cup and Saucer, Mixed	
Carnation, Hardy, Mixed	
Carnation, Marguerite	
Celosia, Cristata	
Centaurea (Bachelor Button) Blue, Double	
Centaurea (Bachelor Button) Mixed	
Centaurea, Jubilee Gem, Blue	
Centaurea, Sweet Sultan	
Cleoma	
Columbine, Aquilegia, Mixed	
Coreopsis, New Gold, Double	
Cosmos, Double Crested, Mixed	
Cosmos, Extra Early Single, Mixed	
Cosmos, Klondyke (Orange)	







MIXED LARKSPUR

#### FLOWER SEED AND SUPPLIES—Continued

	Pkg.
Chinese Woolflower, Scarlet	.05
Chrysanthemum, Double, Mixed	.05
Daisy, Pyrethrum Roseum	.15
Daisy, Shasta (White)	.10
Dahlia, Double, Mixed	.10
Dahlia, Single, Mixed	.10
Delphinium, Mixed	
Didiscus, Blue Lace Flower	.05
Forget-Me-Not, Alpestris Blue	
Forget-Me-Not, Chinese	
Euphorbia (Snow on the Mountain)	
Fox Glove (Digitalis) Mixed	
Gaillardia (Blanket Flower) Mixed	
Geranium, Double, Mixed	
Gomphrena (Globe Amaranth) Mixed	
Gypsophila, Pink, Annual	
Gypsophila, White, Perennial and Annual	
Heliotrope, Mixed	
Hibiscus, Mixed and Red	
Hollyhock, Double, Mixed	
Hunnemannia Fumarifolia, Mexican Tulip Poppy	
Lantana, Mixed	
Larkspur, Double, Mixed	
Lobelia	
Lunaria (Honesty, St. Peter's Penny, Money Plant)	
Lupin, Mixed	
Marigold, African Yellow Supreme	
Marigold, French Double, Mixed	.05
Marigold, Sunset Giant	.05
Marigold, French Dwarf, Harmony Hybrids	.05
Matricaria (Feverfew)	.05
Mexican Fire Bush (Kochia)	.05
Mignonette, Green and White	.05
Nasturtium, Dwarf, Mixed, Single	.15
Nasturtium, Dwarf, Double, Mixed	.15



SCARLET O'HARA MORNING GLORY



ZINNIA FANTASY WILDFIRE

#### FLOWER SEED AND SUPPLIES—Continued

	Pkg.
Nasturtium, Tall, Mixed	.15
Nicotiana (Flowering Tobacco) Mixed, Purple and White	
Nierbergia Hippomanica (Dwarf Cup Flower)	
Pansy, Giant Trimardeau, Mixed	
Pentstemon, Beard Tongue	.10
Petunia, Balcony, Rose Pink, White and Blue	.10
Petunia, Dwarf Rose Bedder	.10
Petunia, Fringed, Mixed	.25
Petunia, Heavenly Blue	.10
Petunia, Howard Star, Purple with White Throat	.10
Petunia, Hybrid Exquisite, Mixed	.10
Petunia, Rose of Heaven, Pink	.10
Petunia, Rosy Morn, Pink	.10
Petunia, Violet King	.10
Phlox, Drummondi, Mixed	
Pinks, Chinese Double, Mixed (Dianthis)	.05
Pinks, Chinese Single, Mixed (Dianthis)	.05
Poppy, American Legion	
Poppy, California Yellow	.05
Poppy, Oriental, Pink	.15
Poppy, Oriental, Scarlet	.10
Poppy, Oriental, White	
Poppy, Oriental, Mixed	.15
Poppy, Shirley, Mixed	
Poppy, Double, Mixed	.05
Portulaca (Flowering Moss) Double, Mixed	
Portulaca (Flowering Moss) Single, Mixed	
Salpiglossis, Mixed	
Salvia Splendens (Flowering Sage) Red	
Salvia, Indigo Blue	
Scabiosa, Imperial Giants Blue Moon	
Scabiosa (Mourning Bride) Mixed	
Stock, Mixed	.05
Strawflower (Helichrysum) Mixed	.05

### FLOWER SEED AND SUPPLIES—Continued

	PKg.
Sweet William, Double Hardy, Mixed	
Verbena, Mixed	
Vinca (Madagascar Periwinkle)	10
Viola Odorata, Mixed	10
Wallflower, Mixed	05
Wild Flower Garden	
Zinnia, Dahlia Flowered, Mixed	
Zinnia, Dahlia Flowered, White, Pink, Lavender, Red, Rose, Yellow, Purple	
Zinnia, Fantasy, Mixed	
Zinnia, Fantasy, Mixed  Zinnia, Fantasy, Red and White	
Zinnia, Lilliput, Mixed	
Zinnia, Lilliput, Red Riding Hood	
Zinnia, Mammoth, Mixed (California Giant)	
Zinnia, Star Dust, Yellow Fantasy	05
VINES.	
	Pkg.
D.L. A.J. D. I Thurt	
Balsam Apple, Red Fruit	
Cardinal Climber	
Castor Bean or Ricinus Maderia	
Coboea Scandens	
Cypress, Mixed	
Four O'Clocks, Mixed	
Gourd, Dipper	05
Gourd, Ornamental, Mixed	05
Hop Vine	05
Hyacinth Bean, Mixed	,05
Job's Tears, White	05
Kudzu	
Moon Flower, White and Blue	
Morning Glory, Heavenly Blue	
Morning Glory, Mixed	
Morning Glory, Pearly Gates, White	
Morning Glory, Scarlett O'Hara	
Passion Vine	
Scarlet Runner	
Sweet Peas, Spencer, Blue	
Sweet Peas, Spencer, Purple	
Sweet Peas, Spencer, Rose	10
Sweet Peas, Spencer, Scarlet	
Sweet Peas, Spencer, White	
Sweet Peas, Spencer, Yellow	10
Sweet Peas, Spencer, Mixed	15
Sweet Peas, Spencer, Hardy Mixed (Pink and White)	10
Thumbergia (Black Eyed Susan)	.10
Wild Cucumber	05

#### SPRING LILIES AND BULBS

LILIES

Amaryllis

Calla

Ismene

Philippinese

Tenuifolium

#### **BULBS AND VINES**

Cannas, all colors
Gladiolus, all colors
Dahlias, all colors
Cinnamon Vine

Tuberose, double and single
Caladium (Elephant Ear) Green
Caladium (Elephant Ear) Colored
Maderia Vine

#### FALL LILIES AND BULBS

Tulips Narcissus Grape Hyacinths
Madonna Lilies

Ask for prices

20 Qui	INLAN	SEED STORE 1945
FI	OWE	R POTS.
2½ inch size	.05	8 inch size
4 inch size		9 inch size
5 inch size	.07	10 inch size
6 inch size	.10	12 inch size
7 inch size	.15	Cemetery Vases
PAPEI	R FLO	WER POTS.
2½ inch sizeask for pr	rices	4 inch sizeask for prices
НА	NGIN	G POTS.
8 inch size	.30	12 inch size
10 inch size		
FOR P	OTTE	ED PLANTS.
Fulton's Plantabbs	Box	Plant and Tree Labels100 .25 1000 \$1.60
Ovene, Sheep Manure,	_	Vitamin B1, Nu Vim,
Stick Form	Box Pkg.	Tablet Form25 and .50 Box
P	EAT	MOSS.
Boxes	1.50	½ Bale\$2.50 Bale\$4.00
FARM AND LAV	VN SI	EEDS AND SUPPLIES.
	cow 1	PEAS.
Whippoorwill	Mi	xed New Era
FA	ARM	GRAIN.

Prices subject to market change—Please ask for prices

Atlas Sorgo	20-30 fb per acre	Millet Seed, German50 lb	per acre
Brome Grass	15-20 fb per acre	Millet Seed, Hungarian50 lb	per acre
Broom Corn	5-6 lb per acre	Milo Maize20-30 lb	per acre
Buckwheat	48-60 lb per acre	Rye Grass25-35 lb	per acre
Grohoma	20-30 lb per acre	Seed Rye60-90 fb	per acre
Kaffir Corn	20-30 fb per acre	Sudan Grass25-35 lb	per acre

#### FARM SEEDS.

#### Prices subject to market change—Please ask for prices

2	
Alfalfa, Common15 lb-20 lb per acre	Meadow Fescue14 lb per acre
Alfalfa, Grimm15 lb-20 lb per acre	Orchard Grass Seed14 lb per acre
Alsike Clover Seed 6 tb -8 tb per acre	Rape Seed, Dwarf Essex
Blue Grass14 lb per acre	6 lb-8 lb per acre
Lespedeza, Common	Red Clover Seed8 tb-10 tb per acre
(Japanese Clover) 10 lb-15 lb per acre	Red Top7 lb-10 lb per-acre
Lespedeza, Korean10 lb-15 lb per acre	Sweet Clover Seed, White Blossoms
Mammoth Clover Seed 8 lb-10 lb per acre	10 lb-15 lb per acre
THE RELIGION CLOTCE SCORE CLOT TO TO TO TO THE WOLL	Sweet Clover Seed, Yellow Blossoms
	10 lb-15 lb per acre

#### LAWN GRASS SEEDS.

Bent Grass		***********		1	th ¢	1.00	10 th \$9.00
Blue Grass	.45	10 lb	$.42\frac{1}{2}$	50 H	b-100	tb	\$40.00 per 100
Chewings Fescue			***********				1 th \$1.00
Mixed Lawn Seed 1 th	40	10 th	2714	50 H	100	Ht.	\$95 00 man 100
Red Top 15	.30	10 Ib	$.27\frac{1}{2}$	$50^{\circ}$	b - 100	th	\$25.00 per 100
Shade Mixture	.50	10 lb	$.47\frac{1}{2}$	50 11	b-100	Ιħ	\$45.00 per 100
White Dutch Clover					*******		1 lb \$1.00

#### SEED CORN.

Certified Hybrid Seed Corn

Large flat kernel, per bushel

Johnson County White, 110 days Red Cob White, 90 days Reid's Yellow Utility, 100 days

#### SOY BEANS.

Black Ebony Illini Manchu Virginia

Edible Kingwa

#### COMMERCIAL FERTILIZERS.

Ask for Prices—Prices Subject to Change Subject to Government Regulations.

Adco 25 lb	0-12-12 125 tb
Bone Meal (2-24) 125 tb	0-14- 7 125 Њ
0-10-10 125 fb	0-20-10 125 Нь
0-10-20 125 fb	0-20-20 125 Нь
	2-12- 6 125 tb

#### FERTILIZERS.

Ask for Prices—Prices Subject to Change Subject to Government Regulations.

Aluminum Sulphate	Murate of Potash					
Blood and Bone	Nitrate of Soda			~=====		
Calomel	Sacco (4-12-4)					
Corrosive Sublimate	Sheep Manure	• • • • • • • • • • • • • • • • • • • •				
Driconure	Sulphate of Ammonia.					
Dried Blood	20% Super Phosphate.	• • • • • • • • • • • • • • • • • • • •				
Loma (5-10-4)	Tankage					
Manganese Sulphate	Vigoro (4-12-4)	• • • • • • • • • • • • • • • • • • • •				
Milorganite	Wedo			*****		
GRAIN I	GRAIN BAGS.					
New Grain Bags, 16 oz.			********	.40		
Used Grain Bags, 16 oz.		**********		.25		
¢						
INOCULATIONS.						
McQueen's, for Alfalfa, Sweet Clover, Red and	Alsike Clover	.30	.50	1.00		
McQueen's, for Lespedeza, Cow Peas, and Soy			.50	1.00		
Nitrogen, for Alfalfa and all Clovers			.50	1.00		

INOCUL	ATIONS—	Continued
--------	---------	-----------

INOCULATIONS—Continued	
Nitrogen, for Cow Peas and Soy Beans	3.00
	1.00
	3.00
Urbana Laboratories Inoculation (Jelly Form) 1 bu. size	.50
Urbana Laboratories Inoculation (Jelly Form) 5 bu. size	1.00
SEED SOWERS.	
Cyclone Seeders, Each	3.00
SPRAYERS AND DUSTERS.	
Ask for Prices—Prices Subject to Change	
Arnold Improved Garden Hose Sprayer (Six Assorted Cartridges)	
C. C. Sprayers	
Feeney Dusters	
Garden Hose Sprayers	
1 pint Sprayers	
1 quart Sprayers	
1 quart Continuous Sprayers	
2 gallon Tank Sprayers	
½ gallon Continuous Sprayers	
Small Dusters	
Small Dusters 2 gallon Compressed Air Sprayers	
2 gallon Compressed Air Sprayers	
2 gallon Compressed Air Sprayers  SPRAYING MATERIAL AND DISINFECTANTS.	
2 gallon Compressed Air Sprayers  SPRAYING MATERIAL AND DISINFECTANTS.  Ask for Prices—Prices Subject to Change.	
2 gallon Compressed Air Sprayers  SPRAYING MATERIAL AND DISINFECTANTS.  Ask for Prices—Prices Subject to Change.  Acme Kopper Queen Mildew Spray	.35
2 gallon Compressed Air Sprayers  SPRAYING MATERIAL AND DISINFECTANTS.  Ask for Prices—Prices Subject to Change.  Acme Kopper Queen Mildew Spray 1 pint can .60 ½ pint can Acme Kopper Shield Pruning Paint 1 pint can .1 pint can	.35
2 gallon Compressed Air Sprayers  SPRAYING MATERIAL AND DISINFECTANTS.  Ask for Prices—Prices Subject to Change.  Acme Kopper Queen Mildew Spray 1 pint can .60 ½ pint can Acme Kopper Shield Pruning Paint 1 pint can .1 pint can Acme Scientific Complete Rose Spray Kit	.35 .40 .95
SPRAYING MATERIAL AND DISINFECTANTS.  Ask for Prices—Prices Subject to Change.  Acme Kopper Queen Mildew Spray 1 pint can .60 ½ pint can Acme Kopper Shield Pruning Paint 1 pint can .1 pint can Acme Scientific Complete Rose Spray Kit  Ammate, DuPont Weed Killer	.35 .40 .95
SPRAYING MATERIAL AND DISINFECTANTS.  Ask for Prices—Prices Subject to Change.  Acme Kopper Queen Mildew Spray 1 pint can .60 ½ pint can Acme Kopper Shield Pruning Paint 1 pint can .1 pint can Acme Scientific Complete Rose Spray Kit  Ammate, DuPont Weed Killer  Arsenate of Calcium	.35 .40 .95
2 gallon Compressed Air Sprayers  SPRAYING MATERIAL AND DISINFECTANTS.  Ask for Prices—Prices Subject to Change.  Acme Kopper Queen Mildew Spray1 pint can	.35 .40 .95 .75
SPRAYING MATERIAL AND DISINFECTANTS.  Ask for Prices—Prices Subject to Change.  Acme Kopper Queen Mildew Spray 1 pint can 60 ½ pint can Acme Kopper Shield Pruning Paint 1 pint can Acme Scientific Complete Rose Spray Kit Ammate, DuPont Weed Killer  Arsenate of Calcium  Arsenate of Lead  Auxilin, root grower for cuttings bottle	.35 .40 .95 .75
SPRAYING MATERIAL AND DISINFECTANTS.  Ask for Prices—Prices Subject to Change.  Acme Kopper Queen Mildew Spray 1 pint can .60 ½ pint can Acme Kopper Shield Pruning Paint 1 pint can .4 pint can Acme Scientific Complete Rose Spray Kit 1 pint can Arsenate of Calcium 1 pint can Arsenate of Calcium 1 pint can Arsenate of Lead 1 pint can Auxilin, root grower for cuttings 1 bottle Banol Insecticide 1 oz. bottle	.35 .40 .95 .75
SPRAYING MATERIAL AND DISINFECTANTS.  Ask for Prices—Prices Subject to Change.  Acme Kopper Queen Mildew Spray 1 pint can 60 ½ pint can Acme Kopper Shield Pruning Paint 1 pint can 1 pint can Acme Scientific Complete Rose Spray Kit 1 Ammate, DuPont Weed Killer 1 Arsenate of Calcium 1 Arsenate of Calcium 1 Arsenate of Lead 1 Auxilin, root grower for cuttings 1 bottle Banol Insecticide 1 oz. bottle \$1.05 1 lb. bottle \$2.50 2 lb. bottle \$4.00	.35 .40 .95 .75 .50 .60
SPRAYING MATERIAL AND DISINFECTANTS.  Ask for Prices—Prices Subject to Change.  Acme Kopper Queen Mildew Spray 1 pint can .60 ½ pint can Acme Kopper Shield Pruning Paint 1 pint can .4 pint can Acme Scientific Complete Rose Spray Kit 1 Ammate, DuPont Weed Killer 1 Arsenate of Calcium 1 Arsenate of Calcium 1 Arsenate of Lead 1 Auxilin, root grower for cuttings 1 bottle Banol Insecticide 1 bottle \$1.05 1 lb. bottle \$2.50 2 lb. bottle \$4.00 Black Leaf "155" 4 lb. box \$1	.35 .40 .95 .75 .50 .60 .35
SPRAYING MATERIAL AND DISINFECTANTS.  Ask for Prices—Prices Subject to Change.  Acme Kopper Queen Mildew Spray	.35 .40 .95 .75 .50 .60 .35
SPRAYING MATERIAL AND DISINFECTANTS.  Ask for Prices—Prices Subject to Change.  Acme Kopper Queen Mildew Spray 1 pint can 60 ½ pint can Acme Kopper Shield Pruning Paint 1 pint can 1 pint can Acme Scientific Complete Rose Spray Kit 1 Ammate, DuPont Weed Killer 1 Arsenate of Calcium 1 Arsenate of Lead 1 Auxilin, root grower for cuttings 1 bottle Banol Insecticide 1 Auxilin, root grower for cuttings 1 bottle Banol Insecticide 1 bottle \$1.05 1 lb. bottle \$2.50 2 lb. bottle \$4.00 Black Leaf 40", good for Aphis and other insects 1 oz. bottle \$1.05 1 lb. bottle \$2.50 2 lb. bottle \$4.00 Black Leaf "155" 4 lb. box \$1.00 lb. drums \$10.00 Carbola, Disinfectant White Paint 7.75 \$1.	.35 .40 .95 .75 .50 .60 .35 .10
SPRAYING MATERIAL AND DISINFECTANTS.  Ask for Prices—Prices Subject to Change.  Acme Kopper Queen Mildew Spray 1 pint can 60 ½ pint can Acme Kopper Shield Pruning Paint 1 pint can 1 pint can Acme Scientific Complete Rose Spray Kit 1 Ammate, DuPont Weed Killer 1 Arsenate of Calcium 1 Arsenate of Lead 1 Auxilin, root grower for cuttings 1 bottle Banol Insecticide 1 bottle \$1.05 1 lb. bottle \$2.50 2 lb. bottle \$4.00 Black Leaf 40", good for Aphis and other insects 1 oz. bottle \$1.05 lb. box \$1 Blue Vitriol (Copper Sulphate) Bulk 1 lb. bags 1.5 25 lb. bags \$3.100 lb. drums \$10.00 Carbola, Disinfectant White Paint 1.50 \$7.	.35 .40 .95 .75 .50 .60 .35 .10
SPRAYING MATERIAL AND DISINFECTANTS.  Ask for Prices—Prices Subject to Change.  Acme Kopper Queen Mildew Spray 1 pint can .60 ½ pint can Acme Kopper Shield Pruning Paint 1 pint can .1 pint can Acme Scientific Complete Rose Spray Kit  Ammate, DuPont Weed Killer  Arsenate of Calcium  Arsenate of Lead  Auxilin, root grower for cuttings bottle  Banol Insecticide  "Black Leaf 40", good for Aphis and other insects 1 oz. bottle  4 oz. bottle \$1.05 1 lb. bottle \$2.50 2 lb. bottle \$4.00  Black Leaf "155" 4 lb. box \$1  Blue Vitriol (Copper Sulphate) Bulk 1 lb. bags .15 25 lb. bags \$3  100 lb. drums \$10.00  Carbola, Disinfectant White Paint .75 \$1  Carbolineum	.35 .40 .95 .75 .50 .60 .35 .10 .00
SPRAYING MATERIAL AND DISINFECTANTS.  Ask for Prices—Prices Subject to Change.  Acme Kopper Queen Mildew Spray	.35 .40 .95 .75 .50 .60 .35 .10 .00
SPRAYING MATERIAL AND DISINFECTANTS.  Ask for Prices—Prices Subject to Change.  Acme Kopper Queen Mildew Spray 1 pint can .60 ½ pint can Acme Kopper Shield Pruning Paint 1 pint can .1 pint can Acme Scientific Complete Rose Spray Kit  Ammate, DuPont Weed Killer  Arsenate of Calcium  Arsenate of Lead  Auxilin, root grower for cuttings bottle  Banol Insecticide  "Black Leaf 40", good for Aphis and other insects 1 oz. bottle  4 oz. bottle \$1.05 1 lb. bottle \$2.50 2 lb. bottle \$4.00  Black Leaf "155" 4 lb. box \$1  Blue Vitriol (Copper Sulphate) Bulk 1 lb. bags .15 25 lb. bags \$3  100 lb. drums \$10.00  Carbola, Disinfectant White Paint .75 \$1  Carbolineum	.35 .40 .95 .75 .50 .60 .35 .10 .00
SPRAYING MATERIAL AND DISINFECTANTS.  Ask for Prices—Prices Subject to Change.  Acme Kopper Queen Mildew Spray 1 pint can .60 ½ pint can Acme Kopper Shield Pruning Paint 1 pint can .60 ½ pint can Acme Scientific Complete Rose Spray Kit  Ammate, DuPont Weed Killer  Arsenate of Calcium  Arsenate of Lead  Auxilin, root grower for cuttings 5 bottle  Banol Insecticide "Black Leaf 40", good for Aphis and other insects 4 oz. bottle \$1.05 1 lb. bottle \$2.50 2 lb. bottle \$4.00  Black Leaf "155" 4 lb. box \$1  Blue Vitriol (Copper Sulphate) Bulk 1 lb. bags .15 25 lb. bags \$3  100 lb. drums \$10.00  Carbola, Disinfectant White Paint .75 \$1  Carbolineum .75 \$1  Carbon Disulphide, for disinfecting Seed Wheat 1 lb. can .60  Ceresan, Grain Disinfectant .1 lb. can .50 lb. bottle .50 1 gal. bottle \$1.25  Copper Carbonate, Seed Disinfectant .5 lb. box \$1	.35 .40 .95 .75 .50 .60 .35 .10 .00 .50 .75 .35
SPRAYING MATERIAL AND DISINFECTANTS.  Ask for Prices—Prices Subject to Change.  Acme Kopper Queen Mildew Spray 1 pint can .60 ½ pint can Acme Kopper Shield Pruning Paint 1 pint can Acme Scientific Complete Rose Spray Kit Ammate, DuPont Weed Killer Arsenate of Calcium Arsenate of Calcium Arsenate of Lead Auxilin, root grower for cuttings 5 bottle Banol Insecticide 80 bottle \$1.05 1 lb. bottle \$2.50 2 lb. bottle \$4.00 Black Leaf 40", good for Aphis and other insects 1 oz. bottle 4 oz. bottle \$1.05 1 lb. bottle \$2.50 2 lb. bottle \$4.00 Black Leaf "155" 4 lb. box \$1 Blue Vitriol (Copper Sulphate) Bulk 1 lb. bags .15 25 lb. bags \$3 100 lb. drums \$10.00	.35 .40 .95 .75 .50 .60 .35 .10 .00 .25 .00 .50 .75 .35

#### SPRAYING MATERIAL AND DISINFECTANTS—Cont'd.

Cyanogas, for fumigating Elevators, Warehouses, Greenh	nouses, and Mills ½ lb. can .45
5 lb. can \$3.00	
Cyanogas Ant Killer	
Dandelion Killer	·
Dauntless Fly Spray	
Dolge Weed Killer	
Dry Lime Sulphur, for dormant spray	
Dusting Sulphur	
Dutox1	
Eureka, Crab Grass Killer	
Ever Green Spray, good for Aphis and Red Spider	1 oz. bottle .35
E-Z-Bos, Stainless Stock Spray	
Fish Oil Soap	
Flit Fly Spray	1.75
Fruitone	
Fungi-Bordo, for fungus diseases and Anthracnose	
Hammond's Slug Shot, good for dusting purposes	
Hammond's Weed Killer	·
Hormodin, stimulates rapid root growth on cuttings	
Lime, Agricultural	
Litening, Dandelion and Weed Killer	
Magnesium Arsenate	
Mulsoid-Sulphur	
"Nico-Fume", used extensively in greenhouses	
"Nico-Fume" 1 lb. Pressure Fumigator for greenhouses	.75
Nursery Volck, for Red Spider and other insects1 g	al. can \$2.00 5 gal. can \$6.25
Old Nick Seed Corn Treatment	
Paradichlorbenzene, used for borers in orchards 5 lb. bag \$1.50 25 lb. bag \$6.25	-
Paris Green	
Pestroy	
Red Arrow Garden Spray, good for Aphis and Red Spid 4 oz. bottle \$1.05 1 qt. can \$3.50	
Rotenone Dust, fine for bean beetle	1 lb. bags .30 2 lb. bags .55 60 100 lb. bags \$16.00
Rotenone Dust with Sulphur 4 lb. bags \$1.00 25 lb. bags \$4.50 50 lb. bags \$9.0	1 lb. bags .30 2 lb. bags .55 00 100 lb. bags \$17.00
Semesan-Bel, Potato Disinfectant	
Semesan Jr., Corn Disinfectant	4 oz. can .35 1 lb. can \$1.00
Semesan, Seed Disinfectant	2 oz. can .50 1 lb. can \$2.00
Scalecide, for dormant spray, dilute in water at the rate 25 gallon of water1 gal. can \$1.75 5 gal. ca	e of one gallon to an \$6.50 30 gal. drum \$22.00
Selocide, good for Red Spider	1 oz35 1 gal. can \$3.00
Spra-Mulsion, for dormant spray, mix at the rate of 1	
Sulfocide, a summer spray oil, mix at the rate of 1 gallo	
Sulphur Dust	
Tree Tanglefoot 6 oz. can .25	
Tobacco Dust	
Tri-Ogen, Rose Spray	Boxes at \$1.50, \$4.00 and \$6.00
Zotox Weed Killer	
11 A A & *******************************	,

#### PET AND POULTRY REMEDIES AND SUPPLIES

#### BIRD SEED AND SUPPLIES.

	1 lb.
Canary Seed	
Cedar Nuts	
Cuttle Bone	
Flax Seed	
Millet Seed, Red and White	
Mixed Bird Seed	
Rape Seed	
Steel Cut Oats	25
Sunflower Seed	.25
	Pkt.
Bird Balm (For Bald Spots)	
Bird Joy	
Bird Shipping Cages	
Canary Cage Baths	
Canary Cage Bird Swings	
Canary Cage Cups	
Canary Cage Perches	
Canary Cage Wire Bird Nests	
Canary Leg Bands	
Kaempfer's Big Kernel Bird Asthma Tablets	
Kaempfer's Big Kernel Birdolene (Song Restorer)	
Mrs. Halfin's Bird Nesting with Eggs	
Mrs. Halfin's Bird Rejuvenator (Song Restorer)	.15
Mrs. Halfin's Bird Tonic	15
Mrs. Halfin's Bird Wash	25
Mrs. Halfin's Cedar Bird Perches	05
Mrs. Halfin's Color Food (Red and Yellow)	15
Mrs. Halfin's Germicidal and Prophylactic	25
Mrs. Halfiin's Gravel Paper	05
Mrs. Halfin's Lice and Mite Powder	15
Mrs. Halfin's Moulting Food	15
Mrs. Halfin's Natural Fish Food	
Mrs. Halfin's Parokeet Mixture	
Mrs. Halfin's Parrot Tonic	25
Mrs. Halfin's 20 in 1 Pine Oil	
Mixed Parrot Seed, 2 lbs.	
Philadelphia Merican Salve	
Philadelphia Bird Bitters	
Philadelphia Bird Gravel (Red and Silver)	
Philadelphia Mite Powder	
Spratt's Bird Tonic	15
Spratt's Cod Liver Oil Cage and Nestling Food	
Spratt's Mite Traps	
Spratt's Song Restorer	
West's Magnesian Grit	15
West's Special Mating Food	40

#### DOG REMEDIES AND SUPPLIES

Due and Champag			Box
Bee Brand Shampoo			
Catnip Mice (For Cats)			10
Disinfectant for Kennels			
		Gallon	
Dog Feeding Bowls, Double			
Dogzix			
"Dogzoff"			
Flea Combs (For Dogs and Cats)			
Fleischmann's Yeast for Dogs			
Miller's Dog Soap			
Mrs. Halfin's Dog Soap			
Pulvex Flea Powder			
Pulvex Flea Soap			
Pulvex Sponge-Away (For Summer Eczema)			
Sergeant's Canker Wash			
Sergeant's Carbolic Tar Soap			
Sergeant's Cod Liver Oil Capsules			
Sergeant's Compound Arsenic and Iron Pills			
Sergeant's Compound Pepsin Tablets			
Sergeant's Condition Pills			
Sergeant's Disinfectant			
Sergeant's Diuretic Pills			
Sergeant's Expectorant Medicine			
Sergeant's Eye Wash			
Sergeant's Intestinal Astringent			
Sergeant's Laxative Capsules			.50
Sergeant's Liniment			.50
Sergeant's Mange Medicine			
Sergeant's Mouth Wash			.50
Sergeant's Nerve Sedative Medicine			.50
Sergeant's Puppy Capsules			.50
Sergeant's Skip-Flea Powder, 2 oz.			.35
Sergeant's Skip-Flea Soap			
Sergeant's Special Medicine			\$1.00
Sergeant's Sure Shot Capsules	• • • • • • • • • • •		.50
Sergeant's Sure Shot Liquid			
Sergeant's Tapeworm Medicine			
Sergeant's Vitapets, Vitamin A, B, G, D			
Spratt's Flea Soap			
Spratt's Worm Capsules for Cats			
Spratt's Worm Tablets for Dogs			.10

.85 1.50 3.75 10.50

#### DOG FOOD.

Mrs. Hamn's Itsy Ditsy (Candy Substitute)		pro.	·10 and	
Spratt's Assorted Dog Biscuit			pkt	40
Spratt's Cat Food			pkt	40
Spratt's Ovals, with Charcoal			pkt	40
Spratt's Ovals, without Charcoal			pkt	40
		1 lb.		100 lb.
Chappel's Ken-L-Worth		.15	2.75	10.00
Gaines Krunchon			2.75	10.00
Gaines Milk and Meat Meal				7.75
Miller's A-1 Meal			2.00	7.75
Miller's Kibbles				10.00
Spratt's Assorted Dog Biscuit				
Sprace S 115501 oct Dog Discare				10
GOLD FISH AND SUPPLIES.				
Common, Fan Tail, Black Moor, and Chebunkin Fish from	15c	to 250	each.	
				Pkt.
Aquarium Cement				
Aquarium Ornaments and Shells				
Bishop's Wafer Fish Food				
Fish Nets				
Fungus Remedy and Fish Tonic				
Medicated Health Fishball				
Mrs. Halfin's Fish Flakes				
Mrs. Halfin's Shrimp Fish Food				
Mrs. Halfin's Tropical Fish Food				
Mrs. Halfin's Turtle Food				
Spratt's Granulated Fish Food				
•			,	•
POULTRY REMEDIES AND SUPPLI	ES.			
				,
Bag Balm				.60
Bag Balm Dilators				.60
Black Leaf Worm Powder				1.00
Burrell-Dugger Don Sung				1.00
Carbola (Disinfectant Paint for Poultry Houses)				1.00
Carbolineum (Wood Preserving Disinfectant)				7.00
Cod Liver Oil, for mixing with poultry feeds				2.50
Dairy Association Co. Kow-Kare				1.25
Dr. Hess Chick Tablets (Diarrhea)			.50	1.00
Dr. Hess Coxitrol			3.50	6.50
Dr. Hess Dip and Disinfectant			.90	1.50
Dr. Hess Drycide				7.50
Dr. Hess Fly Spray				1.50
Dr. Hess Hog Special				10.50
Dr. Hess Liquid Louse Killer		1.10	2.00	2.60
Dr. Hess Medicated (Healing) Powder			25	.50
Dr. Hess Nicozine Powder				5.40
Dr. Hess Nicozine Tablets	.50	1.00	2.00	6.50
Dr. Hess Pelguns, for PTZ Pellets				
Dr Hass Poultry Pan-A-Min	0 1	4 MA	0 ===	40 PA

#### POULTRY REMEDIES AND SUPPLIES—Continued.

		0.110.	inaca		
Dr. Hess Poultry Tablets (Roup)					
Dr. Hess PTZ Pellets					4.50
Dr. Hess PTZ Powder					
Dr. Hess Powdered Louse Killer					
Dr. Hess Stock Tonic					
Dr. Hess Udder Ointment					
Germo Cholerine Liquid					
Lee's Dri-Rub					
Lee's Germozone	.40	.75	1.50	2.50	4.50
Lee's Gizzard Capsules, Adult				75	1.25
Lee's Gizzard Capsules, Chick				40	.75
Lee's Gizzard Capsules, Pullet				50	1.00
Lee's Hog Oil Wormer				2.00	3.50
Lee's Lice Killer			60	.90	1.50
Lee's Louse Powder, 1 lb. can					25
Lee's Pickpaste, for cannabalism					25
Lee's Poultry Dosing Syringe, 1 oz. capacity					25
Lee's Poultry Nasal Syringe, for Head Colds					75
Lee's Tonax, tonic					30
Lee's Vapo-Spray		.75	1.25	2.00	8.75
Poultry Leg Bands, Aluminum, 12 bands					10
Poultry Leg Bands, Aluminum, 50 bands					50
Poultry Leg Bands, Aluminum, 100 bands					75
Poultry Leg Bands, Celluloid, 12 bands					10
Poultry Leg Bands, Celluloid, 50 bands					30
Poultry Leg Bands, Celluloid, 100 bands					50
Pratts Animal Regulator	.25	.50	1.00	2.85	9.50
Pratts Bag Ointment					60
Pratts C-Ka-Gene			75	1.25	2.75
Pratts Chick Tablets			30	60	1.25
Pratts Cow Tonic				.50	1.00
Pratts Disinfectant for Dipping and Spraying					
Poultry and Stock				.50	1.45
Pratts Hog Powder					9.50
Pratts Pheno-Thi-Azine					1.50
Pratts Poultry Inhalant				60	1.00
Pratts Poultry Regulator					9.50
Pratts Poultry Worm Powder					4.50
Pratts Powdered Lice Killer					.60
Pratts Roost Paint (Kills Poultry Lice)					2.50
Pratts R-P Tablets (Formerly Roup Tablets)					.50
Pratts "Split-Action" Worm Capsules, Adult					10.00
Pratts "Split-Action" Worm Capsules,					
Chick and Small Pullet		.55	1.00	3.75	6.50
Pratts Zene-A-trol					1.50
Sodium Fluoride					.30

#### MISCELLANEOUS.

Ant-X			.35
Antrol, Ant Killer			.75
Crab Grass Rakes			
El Vampiro			.10
Force's Mole Killer			
Figaro, Condensed Wood Smoke			
Grafting Wax—½ lb.			.35
Hot Caps	\$1	.50 per	c 100
Jim Dandy Rat and Mice Killer			
K. R. O. Kills Rats Only (Not a poison)			.75
Mole-Nots			
Mouse-Nots			.25
Mologen, Mole Poison			.50
Nomole, Poison to kill moles, ground squirrels, and small rodents		1.10	2.00
Pastoxine. A non-poisonous exterminator of rats and mice			.60
Poison Wheat. Death to rats and mice			.15
Polar Naptholene Moth Flakes			.15
Rabbit Salt			.05
Raffia, Natural, for tying plants, 1 lb.			1.00
Rat-Nots			.35
Rex Fly Ribbons	5	3 for	.10
Roach-Nots			.35
Rootone, for cuttings			.25
Rubber Bands. Sizes 12, 14, 16	Ask	for P	rices
Skeet-Check (			
South American Ant Poison			.25
Tanglefoot Fly Paper			
Trans Plantone			

#### Vegetable Plants, all varieties.

Cabbage

Mango or Pepper

Sweet Potato

Tomato

#### Flower Plants, all varieties.

Aster Petunia
Canterberry Bells Salvia
Chrysanthemum, Hardy Shasta Daisy
Gaillardia Snapdragon
Hardy Phlox Stock
Pansy Verbena
Zinnia

ALL PRICES QUOTED IN THIS CATALOG ARE
OPA CEILING PRICES OR UNDER.

## QUINLAN SEED STORE 317 Wabash Avenue Terre Haute, Indiana

Name				· · · · · · · · · · · · · · · · · · ·	***************************************	**********	******				
Post	Post Office County										
					Co. of Express Office Sta						
Find :	Find Enclosed P. O. Order \$ Draft \$ Cash \$ Stamps \$										
for which send to address above the list of seed, etc., forwarded by											
State here if wanted by mail, express or freight.											
Bus.	Pecks	Lbs.	Oz.	Pkts.	NAMES OF ARTICLES WANTED	Dols.	Cts.				
					- THE TOTAL THE TENT OF THE TE						
					·						
-											
						11					

# DETACH HER

## QUINLAN SEED STORE

317 Wabash Avenue Terre Haute, Indiana

Name			•••••	******		,				
					County					
					Co. of Express Office State					
Find Enclosed P. O. Order \$ Draft \$ Cash \$ Stamps										
					e the list of seed, etc., forwarded by					
					State here if wanted by mail, express					
Bus.	Pecks	Lbs.	Os.	Pkts.	NAMES OF ARTICLES WANTED	Dols.	Cts.			
1						-				
			1							
-	-	-								
							7.7.			
1			100							
		-		*						
1										
-										
-										
-						, .				
				-						
			1-				-			



